ATTACHMENT E

Literature Cited in SMP Update Background Documents

(Additional to Literature Cited in Addendum to Summary of Science Report – Bainbridge Island)

Allee B.A. 1982. "The role of interspecific competition in the distribution of salmonids in streams." Proceedings of the Salmon and Trout Migratory Behavior Symposium. School of Fisheries, University of Washington, Seattle, Washington.

Anchor Environmental. 2000. Phase 1 final biological and habitat survey data report. Prepared for Washington State Ferries by Rich Passage Wave Action Study Team.

Anchor Environmental. 2001. Rich Passage monitoring memorandum 5. Prepared for Washington State Ferries by Rich Passage Wave Action Study Team.

Andersen Jr. A.M. 1971. Spawning, growth, and spatial distribution of the geoduck clam, Panopea abrupta Gould, Hood Canal, Washington. Ph.D Dissertation. University of Washington. Seattle, Washington. 118 pp.

Anderson GJ, MB Miller, and K.K Chew. 1982. A guide to manila clam aquaculture in Puget Sound. Washington Sea Grant, University of Washington, Seattle, Washington. 45 pp.

Anderson K. 1998. "The health of Puget Sound - Measures of Puget Sound's environmental and natural resource health." Proceedings of Puget Sound Research 1998. Page(s) 424-429. Puget Sound Water Quality Action Team, Olympia, Washington.

Antrim L.D and R.M Thom. 1995. Lincoln Park Shoreline Erosion Control Project: Monitoring for eelgrass, eelgrass transplant plots, bull kelp, and surface substrate, 1995. PNL-10857. Battelle Pacific Northwest Laboratories, Sequim, Washington. 25 pp.

Antrim L.D, R.M Thom, WW Gardiner, VI Cullinan, DK Shreffler, and RW Bienert. 1995. "Effects of petroleum products on bull kelp (*Nereocystis luetkeana*)." Marine Biology 122:23.

Armstrong D.A and Gunderson, D.R. 1985. "The role of estuaries in Dungeness crab early life history: A case study in Grays Harbor, Washington." Proceedings of the symposium on Dungeness crab biology and management, Lowell Wakefield Fisheries Symposia Series. Page(s) 145-170. University of Alaska, Fairbanks, Alaska.

Armstrong D.A, K.A McGraw, P.A Dinnel, R.M Thom, and O Iribarne. 1991. Construction dredging impacts on Dungeness crab (Cancer magister) in Grays Harbor, Washington and mitigation of losses by development of intertidal shell habitat. FRI-UW-9110. Fisheries Research Institute, School of Fisheries, University of Washington, Seattle, Washington. 63 pp.

Armstrong J.W, C.P Staude, R.M Thom, and K.K Chew. 1976. "Habitats and relative abundances of the intertidal macrofauna at five Puget Sound beaches in the Seattle area." Syesis 9:277.

Azuma T and M Iwata. 1994. "Influences of illumination intensity on the nearest neighbor distance in Coho salmon (*Oncorhynchus kisutch*)." Journal of Fish Biology 45(6):1113.

Baldwin J.R and J.R Lovvorn. 1994. "Habitats and tidal accessibility of the marine foods of dabbling ducks and brant in Boundary Bay, British Columbia." Marine Biology 120(4):627.

Bardach J.E, J.H Ruther, and W.O McLarney. 1972. Aquaculture: The farming and husbandry of freshwater and marine organisms. John Wiley and Sons, New York, New York.

Bargmann G. 1998. Forage fish management plan. Washington Department of Fish and Wildlife, Olympia, Washington.

Bavins, M, D. Couchman, and J. Beumer. 2000. Fisheries Guidelines for Fish Habitat Buffer

Zones. Department of Primary Industries, Queensland, Fish Habitat Guideline FHG 003.

Best, P.N. 2003. *Bainbridge Island Nearshore Structure Inventory*. In: Proceedings of the 2003 Georgia Basin/Puget Sound Research Conference. T. Droscher and D. Fraser, editors. Puget Sound Action Team. Olympia, Washington. Available at: www.psat.wa.gov/Publications/psnotes_pdf/ps_notes_47.pdf

Blanton S.L, A.B Borde, H.L Diefenderfer, and J.A Southard. 2001. Evaluation of methods to increase light under ferry terminals. PNNL-13714. Prepared for Washington State Department of Transportation by Battelle Marine Sciences Laboratory, Pacific Northwest National Laboratory, Sequim, Washington.

Boese B.L. 2002. "Effects of recreational clam harvesting on eelgrass (Zostera marina) and associated infaunal invertebrates: in situ manipulative experiments." Aquatic Botany 73(1):63.

Borde A.B, D.L Woodruff, R.M Thom, J.A Southard, and G.W Williams. 2001. Assessment of eelgrass (Zostera marina) presence and condition in Rich Passage in June 2001. PNWD-3102. Prepared for Washington State Department of Transportation by Battelle Marine Sciences Laboratory, Sequim, Washington.

Bortleson G.C, M.J Chrzastowski, and A.K Helgerson. 1980. Historical changes of shoreline and wetland and eleven major deltas in the Puget Sound region, Washington. Atlas HA-617. Department of the Interior, U.S. Geological Survey.

Botkin D.B, D.L Peterson, and J.M Calhoun. 2000. The scientific basis for validation monitoring of salmon for conservation and restoration plans. Olympic Natural Resources Center Technical Report. Prepared for University of Washington, Olympic Natural Resources Center, Forks, Washington. 82 pp.

Bottom D.L, C.A Simenstad, A.M Baptista, D.A Jay, J Burke, K.K Jones, E Casillas, and M.H Schiewe. 2001. Salmon at river's end: The role of the estuary in the decline and recovery of Columbia salmon. National Marine Fisheries Service, National Oceanic and Atmospheric Administration, Seattle, Washington.

Brennan, J., H. Culverwell, R. Gregg, P. Granger. 2009. Protection of Marine Riparian Functions in Puget Sound, Washington. Washington Sea Grant. Seattle, Washington. Prepared for Washington Department of Fish and Wildlife. June 15, 2009.

Brennan, J.S. and H. Culverwell. 2004. Marine Riparian: An Assessment of Riparian Functions in Marine Ecosystems. Published by Washington Sea Grant Program. Copyright 2005, University of Washington, Board of Regents, Seattle, Washington. 34 p.

Broadhurst G. 1998. Puget Sound nearshore habitat regulatory perspective: A review of issues and obstacles. Puget Sound/Georgia Basin Environmental Report Series. No. 7. Puget Sound/Georgia Basin International Task Force, Puget Sound Water Quality Action Team, Seattle, Washington.

Brodeur R.D. 1990. A synthesis of the food habits and feeding ecology of salmonids in marine waters of the North Pacific. (INPFC Doc.) FRI-UW-9016. Fisheries Research Institute, School of Fisheries, University of Washington, Seattle, Washington. 38 pp.

Buckley R, G Hueckel, B Benson, S Quinnell, and M Canfield. 1984. Enhancement research on lingcod (Ophiodon elongatus) in Puget Sound. Progress Report #216. Washington Department of Fish and Wildlife, Olympia, Washington.

Bulthuis D.A. 1994. "Distribution of seagrasses in a North Puget Sound estuary: Padilla Bay, Washington, USA." Aquatic Botany 50:99.

Bulthuis D.A and A.M Conrad. 1995. Guemes Channel and Padilla Bay: Surface currents during flood tide. Padilla Bay National Estuarine Research Reserve Technical Report No. 15. Washington State Department of Ecology, Mount Vernon, Washington. 133 pp.

Bumgartner R.H. 1990. "Puget Sound crab and shrimp management." Proceedings from the Forum on Puget Sound's Biological Resources - Status and Management. Page(s) 32-47. U.S. Environmental Protection Agency, Seattle, Washington.

Bussell, Michael A.2011. EPA's Re-Approval of Washington's Revised Sediment Management Standards (WAC173-204) including Marine Finfish Rearing Facility Provision, as submitted on June 3, 1996. U.S. Environmental Protection Agency Region 10.

Calambokidis J and Baird, RW. 1994. "Status of marine mammals in the Strait of Georgia, Puget Sound, and the Juan de Fuca Strait and potential human impacts." Review of the marine environment and biota of Strait of Georgia, Puget Sound, and Juan de Fuca Strait. Proceedings of the BC/Washington Symposium on the Marine Environment. Page(s) 282-303.

Callaway, J.C, G. Sullivan, J.S. Desmond, G.D. Williams, J.B. Zedler. 2001. Assessment and Monitoring. In: Handbook for Restoring Tidal Wetlands. ed. J. Zedler, CRC Press, Boca Raton, Florida.

Canning DJ. 2001. "Climate variability, climate change, and sea-level rise in Puget Sound: Possibilities for the future." Proceedings of Puget Sound Research 2001. Puget Sound Water Quality Action Team, Olympia, Washington.

Canning D.J and H Shipman. 1995a. Coastal erosion management studies in Puget Sound, Washington: Executive summary. Coastal Erosion Management Studies, Volume 1. Shorelands and Water Resources Program, Washington Department of Ecology, Olympia, Washington.

Canning D.J and H Shipman. 1995b. The cumulative effects of shoreline erosion control and associated land clearing practices, Puget Sound, Washington. Coastal Erosion Management Studies, Volume 10. Shorelands and Water Resources Program, Washington Department of Ecology, Olympia, Washington.

Cass A, J Beamish, and G.A McFarlane. 1990. Lingcod (Ophiodon elongatus). Minister of Supply and Services Canada, Ottawa, Ontario, Canada.

Castelle A, A.W Johnson, and C Conolly. 1994. "Wetland and stream buffer size requirements - a review." Journal of Environmental Quality 23(5):878.

Cederholm C.J, D.H Johnson, R.E Bilby, L.G Dominguez, A.M Garrett, W.H Graeber, E.L Greda, M.D Kunze, B.G Marcot, J.F Palmisano, R.W Plotnikoff, W.G Pearcy, C.A Simenstad, and P.C Trotter. 2000. Pacific salmon and wildlife: Ecological contexts, relationships, and implications for management. Special Edition Technical Report, Prepared for D.H. Johnson and T.A. O'Neil (Manag. Dirs.), Wildlife-Habitat Relationships in Oregon and Washington. Washington Department of Fish and Wildlife, Olympia, Washington.

Chaloner D.T., K. Martin, M.S. Wipfli, P.H. Ostrom, G.A. Lamberti. 2002. Marine carbon and nitrogen in southeastern Alaska stream food webs: evidence from artificial and natural streams. *Can. J. Fish. Aquat. Sci.* 59:1257–1265

Chapman W.M, M Katz, and D.W Erickson. 1941. The races of herring in the State of Washington. Biological Report No. 38A. Division of Scientific Research, Washington Department of Fisheries, Seattle, Washington. 36 pp.

Cheney D.P and T.F Mumford. 1986. Shellfish and seaweed harvests of Puget Sound. Washington Sea Grant, University of Washington Press, Seattle, Washington. 164 pp.

Chew K.K. 1989. "Manila clam biology and fishery development in western North America." In: Clam mariculture in North America, Manzi JJ and M Castagna eds., Page(s) 243. Elsevier Press, New York, New York.

Chew K.K and A.P Ma. 1987. Species profiles: Life histories and environmental requirements of coastal fishes and invertebrates (Pacific Northwest) - Common littleneck clam. U.S. Fish and Wildlife Service Biological Report 82(11.78), U.S. Army Corps of Engineers TR EL-82-4. 22 pp. Christensen, D. 2000. Protection of Riparian Ecosystems: A Review of Best Available Science. Jefferson County Environmental Health Division, Washington.

City of Bainbridge Island (COBI). 2002. Nearshore Structure Inventory. Unpublished database. City of Bainbridge Island, WA.

Cowardin L.M, V Carter, FC Golet, and ET LaRoe. 1979. Classification of wetlands and deepwater habitats of the United States. FWS/OBS-79/31. U.S. Fish and Wildlife Service.

Cox J, K Macdonald, and T Rigert. 1994. Engineering and geotechnical techniques for shoreline erosion management in Puget Sound. Coastal Erosion Management Studies, Volume 4. Report No. 94-77. Shorelands and Coastal Zone Management Program, Washington Department of Ecology, Olympia, Washington.

Cummins E.B, Wilson, U, and McMinn, M. 1990. "Cooperative management of marine birds in Washington." Proceedings from the Forum on Puget Sound's Biological Resources - Status and Management. Page(s) 142-154. U.S. Environmental Protection Agency, Seattle, Washington.

Dean R.G. 2002. Beach nourishment: Theory and practice. World Scientific Press, New Jersey.

Deegan, L.A., J.T. Finn, S.G. Ayvazian, C.A. Ryder-Kieffer, and J. Buonaccorsi. 1997. Development and validation of an estuarine biotic integrity index. Estuaries 20:601-617.

Desbonnet A, P Pogue, V. Lee, and N Wolff. 1994. Vegetated buffers in the coastal zone: A summary review and bibliography. Coastal Resources Center, Rhode Island Sea Grant, University of Rhode Island.

Dethier M.N. 1990. A marine and estuarine habitat classification system for Washington State. Washington Natural Heritage Program, Washington Department of Natural Resources, Olympia, Washington. 56 pp.

Dinnel PA. 2000. Padilla Bay mulluscs: A review, with emphasis on the bivalves. Padilla Bay National Estuarine Research Reserve Technical Report No. 24. Dinnel Marine Resources, Mount Vernon, Washington. Doty D. 1993. Summary of newly documented settlement and nursery habitats for young of the year lingcod, rockfish, and Pacific cod. January-October 1993. Unpublished memo. Marine Fish and Shellfish Program, Washington Department of Fisheries, Olympia, Washington.

Donnelly R, B Miller, R Lauth, and J Shriner. 1984. Renton Sewage Treatment Plant Project: Seahurst Baseline Study. Volume VI, Section 7: Fish ecology. FRI-UW-8413. Prepared for Municipality of Metropolitan Seattle by Fisheries Research Institute, School of Fisheries, University of Washington, Seattle, Washington.

Doty D.C, Buckley, RM, and West, JE. 1995. "Identification and protection of nursery habitats for juvenile rockfish in Puget Sound, Washington." Proceedings of Puget Sound Research 1995. Page(s) 181-190. Puget Sound Water Quality Authority, Olympia, Washington.

Douglass S.L and B.H Pickel. 1999. "The tide doesn't go out anymore - The effect of bulkheads on urban bay shorelines." Shore and Beach 67(2-3):19.

Downing J. 1983. The coast of Puget Sound: Its processes and development. Washington Sea Grant Publication, University of Washington Press, Seattle, Washington.

Duffy-Anderson J.T and K.W Able. 1999. "Effects of municipal piers on the growth of juvenile fishes in the Hudson River estuary: A study across a pier edge." Marine Biology 133(3):409. Earn, D.J., S.A. Levin, and P. Rohani. 2000. Coherence and conservation. Science 290:1360-1364.

Earn, D.J., S.A. Levin, and P. Rohani. 2000. Coherence ad conservation. Science 290:1360-1364.

Eilers, H.P.I. 1975. Plants, plant communities, net production and tide levels: the ecological biogeography of the Nehalem salt marshes, Tillamook County, Oregon. Oregon State University, Corvallis, Oregon. 368 pp.

Emmett R.L, S.A Hinton, S.L Stone, and M.E Monaco. 1991. Distribution and abundance of fishes and invertebrates in West Coast estuaries, Volume II: Species life history summaries. ELMR Report No. 8. Strategic Environmental Assessments Division, National Ocean Service, National Oceanic and Atmospheric Administration, Rockville, Maryland. 329 pp.

Feist BE, J.J Anderson, and R Miyamoto. 1996. Potential impacts of pile driving on juvenile pink (*Oncorhynchus gorbuscha*) and chum (O. keta) salmon behavior and distribution. FRI-UW-9603. Fisheries Research Institute, School of Fisheries, University of Washington, Seattle, Washington. 66 pp.

Fitch J.E. 1953. Common marine bivalves of California. Fisheries Bulletin 90. California Fish and Game. 102 pp.

Fresh K.L, R.D Cardwell, and R.P Koons. 1981. Food habits of Pacific salmon, baitfish, and their potential competitors and predators in the marine waters of Washington, August 1978 to September 1979. Progress Report No. 145. Washington Department of Fisheries, Olympia, Washington.

Fresh, K., C. Simenstad, J. Brennan, M. Dethier, G. Gelfenbaum, F. Goetz, M. Logsdon, D. Myers, T. Mumford, J. Newton, H. Shipman, and C. Tanner. 2004. Guidance for protection and restoration of the nearshore ecosystems of Puget Sound. Puget Sound Nearshore Partnership Report No.2004-02. Published by Washington Sea Grant Program, University of Washington, Seattle, Washington.

Gentile, J.H., M.A. Harwell, W. Cropper Jr., C.C. Harwell, D. DeAngelis, S. Davis, J.C. Ogden, and D. Linman. 2001. Ecological conceptual models: a framework and case study in ecosystem management for South Florida sustainability. The Science of the Total Environment. 274: 231-253.

Gonor, J., J. Sedell, and P. Benner. 1988. What we know about large trees in estuaries, in the sea, and on coastal beaches. In From the forest to the sea: a story of fallen trees, edited by C. Maser, R. Tarrant, J. Trappe and J. Franklin. USDA, Forest Service, Pacific Northwest Research Station, Portland, Oregon. pp. 83-112.

Gonzales, A., J.H. Lawton, P.S. Gilbert, T.M.Blackburn, and J. Evans-Freke. 1998. Meta population dynamics, abundance, and distribution on a micro-ecosystem. Science 281:2045-2047.

Goodwin L. 1990. "Commercial geoduck dive fishery." Proceedings from the Forum on Puget Sound's Biological Resources - Status and Management. Page(s) 24-31. U.S. Environmental Protection Agency, Seattle, Washington.

Goodwin L and W Shaul. 1978. Puget Sound subtidal hardshell clam survey data. Progress Report 44. Washington Department of Fisheries, Olympia, Washington. 92 pp.

Gregory R.S Grellner K.J, B Bauman, S Ultican, and M McNickle. 1997. Bainbrige Island watershed nonpoint source pollution water quality assessment. Water Quality Program, Environmental Health Division, Bremerton-Kitsap County Health District, Poulsbo, Washington.

Groot C and L Margolis. 1991. Pacific salmon life histories. University of British Columbia Press, Vancouver, BC, Canada.

Gross MR, RM Coleman, and RM McDowell. 1988. "Aquatic productivity and the evolution of diadromous fish migration." Science 239:1291.

Gustafson R.G, TC Wainwright, G.A Winans, F.W Waknitz, L.T Parker, and R.S Waples. 1997. Status review of sockeye salmon from Washington and Oregon. NOAA Technical Memorandum. NMFS-NWFSC-33. National Oceanic and Atmospheric Administration.

Hall F. 1987. "Characterization of riparian systems." Proceedings of the Symposium on Streamside Management: Riparian Wildlife and Forestry Interactions. Institute of Forest Resources, University of Washington, Seattle, Washington.

Hard J.J, R.G Kope, W.S Grant, W Waknitz, L.T Parker, and R.S Waples. 1996. Status review of pink salmon from Washington, Oregon, and California. NOAA Technical Memorandum. NMFS-NWFSC-25. U.S. Department of Commerce, National Oceanic and Atmospheric Administration.

Harding, D.J. and G.S. Berghoff. 2000. Fault scarp detection beneath dense vegetation cover: Airborne Lidar mapping of the Seattle fault zone, Bainbridge Island, Washington State, unpublished paper

Haring D. 2000. Salmonid habitat limiting factors: Water Resources Inventory Area (WRIA) 15 (East) Final Report. Washington State Conservation Commission, Olympia, Washington.

Harley C.D. 1998. Species-specific responses to environmental gradients determine regional scale pattern in an intertidal community. Padilla Bay National Estuarine Research Reserve Technical Report No. 23. Contract No. C9800053. Washington State Department of Ecology, Mount Vernon, Washington.

Hart J.L. 1973. Pacific fishes of Canada. Fisheries Research Board of Canada, Ottawa, Canada. Healey. 1982. "Juvenile Pacific salmon in estuaries: The life support system." In: Estuarine Comparisons, Kennedy VS ed., Page(s) 315. Academic Press, New York, New York.

Hengeveld H.D. 2000. Projections for Canada's climate future . Climate Change Digest CCD 00-01. Meteorological Service of Canada, Environment Canada, Downsview, Ontario.

Herrera Environmental Consultants, Inc. 2011a. City of Bainbridge Island Addendum to the Summary of Science. Herrera

Herrera Environmental Consultants Inc. 2011b. August 2, 2011 Documentation of Marine Shoreline Buffer Recommendation Discussions.

Herrera Environmental Consultants Inc. Clarification on Herrera Environmental Consultants, Inc. August 2, 2011. Clarification on Herrera August 11, 2011 Documentation of Marine Shoreline Buffer Recommendation Discussions Memo.

Herrera. 2007. Habitat Modifications White Paper. Washington Department of Fish and Wildlife, Olympia, Washington. Prepared by Herrera Environmental Consultants, Inc., Seattle, Washington.

Herrera. 2005. Marine shoreline sediment survey and assessment, Thurston County, Washington. Thurston Regional Planning Council, Olympia, Washington. Prepared by Herrera Environmental Consultants, Inc., Seattle, Washington

Hughes, L.A. Deegan, M.J. Weaver and J.E. Costa. 2002. Regional application of an index of estuarine biotic integrity based on fish communities. Estuaries 25:250-263.

Jeffries S, Huber, H, Laake, J, and Calambokidis, J. 2001. "Status and trends of harbor seal stocks in Washington State, 1978-1999." Proceedings of Puget Sound Research 2001. Puget Sound Water Quality Action Team.

Johnson O.W, W.S Grant, R.G Kope, K Neely, F.W Waknitz, and R.S Waples. 1997. Status review of chum salmon from Washington, Oregon, and California. NOAA Technical Memorandum. NMFS-NWFSC-32. National Oceanic and Atmospheric Administration. and CD Levings. 1996. "The effects of turbidity and vegetation on the risk of juvenile salmonids, Oncorhynchus spp., to predation by adult cutthroat trout, O. clarkii." Environmental Biology of Fishes 47:279.

Johnson O.W, M.H Ruckelshaus, W.S Grant, F.W Waknitz, A.M Garrett, G.J Bryant, K Neely, and J.J Hard. 1999. Status review of coastal cutthroat trout from Washington, Oregon, and California. NOAA Technical Memorandum. NMFS-NWFSC-37. National Oceanic and Atmospheric Administration.

Jones and Stokes Associates. 1990. Aquatic resources of the Port Blakely Harbor area: Final report. Port Blakely Mills Company Reports. Prepared for Port Blakely Mill Company, Seattle, Washington.

Jones and Stokes Associates. 1992. Aquatic resources of the Port Blakely Harbor area: Final report. Prepared for Port Blakely Mill Company, Seattle, Washington.

Kahler T, M Grassley, and D Beauchamp. 2000. A Summary of the effects of bulkheads, piers, and other artificial structures and shorezone development on ESA-listed salmonids in lakes. Final Report. Prepared for City of Bellevue by The Watershed Company. 74 pp.

Karr, J.R. 1987. Biological monitoring and environmental assessment: A conceptual framework. Environmental Management 11:249-256.

Karr, J.R. and I.J. Schlosser. 1977. Impact of Nearstream Vegetation and Stream Morphology on Water Quality and Stream Biota. Athens, GA: U.S. EPA Ecological Research Series (EPA-600/3-77/097).

Kentula, M.E. 1997. A step toward a landscape approach in riparian restoration. Restoration Ecology 5: 2-3

Kimker A. 1985. "A recent history of the Orca Inlet, Prince William Sound Dungeness crab fishery with specific reference to sea otter predation." Proceedings of the Symposium on Dungeness Crab Biology and Management. Page(s) 231-241. University of Alaska, Fairbanks, Alaska.

Kirby J.T, R.A Dalrymple, and F Shi. 2002. Combined refraction/difraction model REF/DIF 1, Version 2.6. Documentation and user's manual . Center for Applied Coastal Research, Department of Civil Engineering, University of Delaware, Newark, Delaware.

Kitsap County. 2001. Aerial imagery. Unpublished data. Collected by SpaceImaging Corporation; post-processed by Marshall and Associates. Acquired from City of Bainbridge Island.

Kitsap County Health District. 2002 & 2003. Shellfish Beach closures. Available: http://www.wa.gov/kitsaphealth/

Knutson K.L and V.L Naef. 1997. Management recommendations for Washington's priority habitats: Riparian. Washington Department of Fish and Wildlife, Olympia, Washington.

Komar P.D. 1998a. Beach processes and sedimentation, 2nd edition. Prentice Hall, New Jersey.

Komar P.D. 1998b. The Pacific Northwest coast: Living with the shores of Oregon and Washington. Duke University Press, Durham, South Carolina.

Koshimura S and Mofjeld, H. 2001. "Inundation modeling of local tsunamis in Puget Sound, Washington, due to potential earthquakes." ITS 2001 Proceedings. Page(s) 861-873.

Krukeburg A.R. 1991. The natural history of Puget Sound country. University of Washington Press, Korea.

Lance M.M, Jeffries, S, and London, J. 2001. "Diet of harbor seals in Hood Canal during 1998 and 1999." Proceedings of Puget Sound Research 2001. Puget Sound Water Quality Action Team.

Lemberg N.A, M.F O'Toole, D.E Penttila, and K.C Stick. 1997. 1996 Forage fish stock status report.

Lemieux, J.P., J.S. Brennan, M. Farrell, C.D. Levings, and D. Myers. 2004. Proceedings of the DFO/PSAT sponsored marine riparian experts workshop. Tsawwassen, British Columbia: Canadian Manuscript Report of Fisheries and Aquatic Sciences.

Levings C and G Jamieson. 2001. Marine and estuarine riparian habitats and their role in coastal ecosystems, Pacific Region. Research Document 2001/109. Canadian Science Advisory Secretariat, Ottawa, Canada.

Levy D.A and T.G Northcote. 1982. "Juvenile salmon residency in a marsh area of the Fraser River estuary." Canadian Journal of Fisheries and Aquatic Sciences 39:270.

London J.M, Jeffries, S, Lance, M, and Van Blaricom, G. 2001. "Foraging ecology of harbor seals in Hood Canal and the potential impacts in threatened summer chum stocks." Proceeding of Puget Sound Research 2001. Puget Sound Water Quality Action Team.

Long E.R, J Hameedi, A Robertson, M Dutch, S Aasen, K Welch, S Magoon, S.R Carr, T Johnson, J Beidenbach, Dr K.J Scott, C Meuller, and J.W Anderson. 2000. Sediment quality in Puget Sound: Year 2-Central Puget Sound December 2000. 00-03-055. Washington State Department of Ecology, in association with National Oceanic Atmsopheric Administration, U.S. Geologic Survey, Science Applications International Corporation and Columbia Analytical Services, Olympia, Washington.

Macdonald K.B. 1995. "Shoreline armoring effects on physical coastal processes in Puget Sound." Proceedings of Puget Sound Research 1995. Page(s) 106-120. Puget Sound Water Quality Authority, Olympia, Washington.

Macdonald K.B, D Simpson, B Paulsen, J Cox, and J Gendron. 1994. Shoreline armoring effects on the physical coastal processes in Puget Sound, Washington. Coastal Erosion Management Studies, Volume 5. Publication 94-78. Shorelands and Coastal Zone Management Program, Washington Department of Ecology, Olympia, Washington.

Macdonald K.B and B Witek. 1994. Management options for unstable bluffs in Puget Sound, Washington. Coastal Erosion Management Studies, Volume 8. Shorelands and Coastal Zone Management Program, Washington Department of Ecology, Olympia, Washington.

Manashe E. 1993. Vegetation management: A guide for Puget Sound bluff property owners. Shorelands and Coastal Zone Management Program, Washington Department of Ecology, Olympia, Washington.

Masterson J.P and R.T.Bannerman, 1994. "Impacts of stormwater runoff on urban streams in Milwaukee County, Wisconsin." National Symposium on Water Quality. American Water Resources Association.

Matthews K.R. 1989. "A comparative study of habitat use by young-of-the-year, subadult, and adult rockfishes on four habitat types in central Puget Sound." Fishery Bulletin 88:223.

May, C.W. and G. Peterson. 2003. Kitsap Salmonid Refugia Report: Landscape assessment and conservation prioritization of freshwater and nearshore salmonid habitat in Kitsap County. Prepared for Kitsap County, WA. 247 pp.

May, C.W. 2003. Stream-Riparian Ecosystems in the Puget Sound Lowland Eco-Region: A Review of Best Available Science. Watershed Ecology LLC.

May, C.W., E.B. Welch, R.R. Horner, J.R. Karr, and B.W. Mar. 1997. Quality indices for urbanization effects in Puget Sound lowland streams. Washington Department of Ecology, Olympia, Washington, USA.

Meteorological Service of Canada. 2000. Proceedings from the 6th international workshop on wave hindcasting and forecasting. Meteorological Service of Canada, Environment Canada, Ontario, Canada.

Miller B.A and S Sadro. in press. "Residence time, habitat utilization, and growth of juvenile coho salmon (Oncorhynchus kisutch) in South Slough, Coos Bay, Oregon." Transactions of the American Fisheries Society

Mulvihill E.L, CA Francisco, JB Glad, KB Kaster, and RE Wilson. 1980. Biological impacts of minor shoreline structures on the coastal environment: State of the art review. FWS/OBS-77/51, 2 volumes. Biological Services Program, U.S. Fish and Wildlife Service.

Myers R.D. 1993. Slope stabilization and erosion control using vegetation: A manual of practice for coastal property owners. Shorelands and Coastal Zone Management program, Washington Department of Ecology, Olympia, Washington.

Myers R.D. 1996. Surface water and groundwater on coastal bluffs: A guide for Puget Sound property owners. Shorelands and Coastal Zone Management Program, Washington Department of Ecology, Olympia, Washington.

Naiman R.J, T Beechie, L.E Benda, D.R Berg, P.A Bisson, L.H MacDonald, M.D O'Connor, P.L Olsen, and E.A Steele. 1992. "Fundamental elements of ecologically healthy watersheds in the Pacific Northwest coastal ecoregion." In: Watershed management: Balancing sustainability and environmental change, Naiman RJ ed., Page(s) 127. Springer-Verlag, New York.

Namias J and J.C. Huang. 1972. "Sea level at southern California: A decadal fluctuation." Science 177:351.

National Audubon Society. 2000. 101st Christmas Bird Count. Available: http://audubon.birdsource.org/CBCOutput/review.html?speciesByState=false&yr=101&circle=S733489

National Oceanic and Atmospheric Administration. 2000. Topical sewage. Available: http://seagrantnews.org/news/sewage.html

National Research Council. 1995. Beach nourishment and protection. National Academy Press, Washington, D.C.

National Research Council. 1996. Upstream: Salmon and society in the Pacific Northwest. National Academy Press, Washington, D.C.

National Research Council (NRC). 1992. Restoration of Aquatic Ecosystems. National Academy Press, Washington, D.C.

National Research Council (NRC). 2001. Compensating for Wetland Losses Under the Clean Water Act.

National Academy Press, Washington, D.C.

Nelson A.R, S.Y Johnson, R.E Wells, S.K Pezzonpane, H.M Kelsey, B.L Sherrod, L.A Bradley, R.D Koeler III, R.C Bucknam, R Haugerud, and W.T Laprade. 2002. Field and laboratory data from an earthquake history study of the Toe Jam Hill fault, Bainbridge Island, Washington. USGS Open File. Report 02-60. United States Geological Survey.

Neumann J.E, G Yohe, R Nicholls, and M Manion. 2000. Sea-level rise and global climate change: A review of impacts to the U.S. coasts. Pew Center on Global Climate Change, Washington, DC. 38 pp. Newton J.A, Albertson, S.L, Eisner, L.B, and A.L. Thomson. 1995. "The marine water column task of the Puget Sound Ambient Monitoring Program." Proceedings of Puget Sound Research 1995. Page(s) 25-34. Puget Sound Water Quality Authority, Seattle, Washington.

Newton J.A, S.L Albertson, K Nakata, and C Clishe. 1998. Washington State marine water quality in 1996 and 1997. Publication No. 98-338. Environmental Investigations and Laboratory Services Program, Washington State Department of Ecology, Olympia, Washington. 98 pp.

Newton J.A, S.L Albertson, and A.L Thomson. 1997. Washington State marine water quality in 1994 and 1995. Publication No. 97-316. Environmental Investigations and Laboratory Services Program, Washington State Department of Ecology, Olympia, Washington. 71 pp.

Nightingale B and C Simenstad. 2001a. Dredging activities: Marine issues. Prepared for Washington Department of Fish and Wildlife, Washington Department of Ecology and Washington State Department of Transportation by University of Washington, Seattle, Washington.

Nightingale B and C Simenstad. 2001b. Overwater structures: Marine issues. Prepared for Washington Department of Fish and Wildlife, Washington Department of Ecology and Washington State Department of Transportation by University of Washington, Seattle, Washington.

Norman D. 1998. 1997 Dumas Bay Centre monitoring and final recommendations. Prepared for City of Federal Way by Norman Wildlife Consulting, Shoreline, Washington.

Nysewander D.R, J.R Evenson, B.L Murphie, and T.A Cyra. 2001. Report of the Marine Bird and Marine Mammal Component, Puget Sound Ambient Monitoring Program, for July 1992 to December 1999 period. Agency Report. Washington Department of Fish and Wildlife, Olympia, Washington. 161 pp.

O'Toole M. 1995. "Puget Sound herring: A review ." Proceedings of Puget Sound Research 1995. Page(s) 849-854. Puget Sound Water Quality Authority, Seattle, Washington.

Pacific States Marine Fisheries Commission. 1987. 39th annual report of the Pacific States Marine Fisheries Commission. Portland, Oregon. 29 pp.

Pacific States Marine Fisheries Commission. 2001. Essential fish habitat: Appendix A: Description and identification of essential fish habitat, adverse impacts and recommended conservation measures for salmon. Amendment to the Pacific Coast Salmon Plan estuarine alteration. Available: http://www.psfmc.org.efh/IIID8.html

Palsson W.A. 1990. Pacific cod (*Gadus macrocephalus*) in Puget Sound and adjacent waters: Biology and stock assessment. Washington Department of Fisheries, Olympia, WA.

Palsson W.A, J.C Hoeman, G.G Bargmann, and D.E Day. 1997. 1995 status of Puget Sound bottomfish stocks (revised). Report No. MRD97-03. Washington Department of Fish and Wildlife, Olympia, Washington.

Paul A.J and H.M Feder. 1976. Clam, mussel, and oyster resources of Alaska. Sea Grant Report 76-6. University of Alaska, Fairbanks, Alaska. 41 pp.

Penttila D. 1996. Surf smelt/sand lance/herring fact sheets. Washington Department of Fish and Wildlife, LaConnor, Washington.

Penttila D. 2001. "Effects of shading upland vegetation on egg survival for summer-spawning surf smelt on upper intertidal beaches in Puget Sound." Proceedings of Puget Sound Research 2001. Puget Sound Water Quality Action Team.

Penttila D.E. 1995. "Investigations of the spawning habitat of the Pacific sand lance (*Ammodytes hexapterus*) in Puget Sound." Proceedings of Puget Sound Research 1995. Page(s) 855-859. Puget Sound Water Quality Authority, Seattle, Washington.

Penttila D.E. 2000. Impacts of overhanging shading vegetation on egg survival for summer-spawning surf smelt, *Hypomesus*, on upper intertidal beaches in northern Puget Sound, Washington. Marine Resources Division, Washington Department of Fish and Wildlife, Olympia, Washington.

Penttila, D. 2007. Marine Forage Fishes in Puget Sound. Puget Sound Nearshore Partnership Report No. 2007-03. Published by U.S. Army Corps of Engineers, Seattle District, Seattle, Washington.

Pess, G.R., D.R. Montgomery, E.A. Street, R.E. Bilby, B.E. Feist, and H.M. Greenberg. 2002. Landscape characteristics, land-use, and coho salmon abundance, Snohomish River, Washington, USA. Canadian Journal of Fisheries and Aquatic Sciences 59:613-623.

Peterson C.H. 1982. "The importance of predation and intra- and interspecific competition in the population biology of two infaunal suspension-feeding bivalves, *Protothaca staminea* and *Chione undatella*." Ecological Monographs 52(4):437.

Pilkey O.H and H.L Wright III. 1988. "Seawalls versus beaches." Journal of Coastal Research 4:41.

Poston T. 2001. Treated wood issues associated with overwater structures in marine and freshwater environments. Prepared for Washington State Department of Fish and Wildlife, Washington Department of Ecology and Washington State Department of Transportation.

Puget Sound Lidar Consortium. 2000. Lidar data files. Available at: http://duff.geology.washington.edu/data/raster/lidar/

Puget Sound River History Project. 2003. Historic digital maps. Quaternary Research Center and Department of Earth and Space Sciences, University of Washington. Available at: http://riverhistory.ess.washington.edu/

Puget Sound Water Quality Action Team. 2000a. Blooms of ulvoids in Puget Sound. Puget Sound Water Quality Action Team, Olympia, Washington.

Puget Sound Water Quality Action Team. 2000b. Puget Sound update. Seventh Report of the Puget Sound Ambient Monitoring Program. Olympia, Washington. 127 pp.

Puget Sound Water Quality Action Team. 2001. Programs: Contaminated sediments and dredging programs. Available: http://www.wa.gov/puget_sound/Programs/Sediments.htm

Puget Sound Water Quality Action Team. 2002. Puget Sound update. Eighth report of the Puget Sound Ambient Monitoring Program. Puget Sound Water Quality Action Team, Olympia, Washington. 156 pp.

Quayle D.B and N Bourne. 1972. The clam fisheries in British Columbia. Bulletin No. 179. Fisheries Research Board of Canada. 71 pp.

Redman, S., D. Meyers, and D. Averill. 2005. Regional Nearshore and Marine Aspects of Salmon Recovery in Puget Sound. Shared Strategy for Puget Sound. June 28, 2005.

Rice C.A and Sobocinski, K.L. 2002. "Effects of shoreline modification on summer spawning habitat of surf smelt (*Hypomesus pretiosus*) in Puget Sound, Washington." NWFSC Watershed Program Open House.

Romanuk, T.N. and C.D. Levings. 2010. Reciprocal Subsidies and Food Web Pathways Leading to Chum Salmon Fry in a Temperate Marine-Terrestrial Ecotone. PLoS ONE 5(4):e10073. doi:10.1371/journal.pone.0010073.

Schink T.D, K.A McGraw, and K.K Chew. 1983. Pacific coast clam fisheries. Technical Report. WSG 83-1. Washington Sea Grant, University of Washington, Seattle, Washington. 72 pp.

Schmitt C, Schweigert, J, and Quinn, TP. 1994. "Anthropogenic influences on fish populations of the Georgia Basin: I. Salmonids II. Marine fishes." Review of the Marine Environment and Biota of Strait of Georgia, Puget Sound, and Juan de Fuca Strait. Proceedings of the BC/Washington Symposium on the Marine Environment. Page(s) 218-255.

Scholz A.J. 1990. "Intertidal fisheries for hardshell clams and oysters." Proceedings from the Forum on Puget Sound's Biological Resources - Status and Management. Page(s) 66-78. U.S. Environmental Protection Agency, Seattle, Washington.

Schwartz M.L, B.D Harp, B.E Taggart, and M Chrzastowski. 1991. Net shore drift in Washington State: Volume 3, Central Puget Sound region. Shorelands and Coastal Zone Management Program, Washington Department of Ecology, Olympia, Washington.

Schwartz M.L, R Wallace, and E Jacobsen. 1989. Net shore-drift in Puget Sound. Engineering geology in Washington: Volume 2. Bulletin 78. Washington State Division of Geology and Earth Resources.

Shepsis V, Kaminsky, G.M, Simpson, D.P, and D. Orders. 1995. "Puget Sound wind wave analysis." Proceedings of Puget Sound Research 1995. Page(s) 84-91. Puget Sound Water Quality Authority, Seattle, Washington.

Shipman H. 1998. Shoreline changes at North Beach, Samish Island. Publication No. 98-101. Shorelands and Environmental Assistance Program, Washington Department of Ecology, Olympia, Washington.

Shipman H and D.J Canning, 1993. "Cumulative environmental impacts of shoreline stabilization on Puget Sound." Proceedings of Coastal Zone '93, Eighth Symposium on Coastal and Ocean Management. Page(s) 2233-2242. American Society of Civil Engineers, New York.

Short, F.T and D.M Burdick. 1996. "Quantifying eelgrass habitat loss in relation to housing development and nitrogen loading in Waquoit Bay, Massachusetts." Estuaries 19(3):730.

Shreffler D.K. 1995. Chimacum Creek estuary eelgrass survey and restoration assessment. Battelle Marine Sciences Laboratory, Sequim, Washington.

Shreffler D.K, C.A Simenstad, and R.M Thom. 1992. "Foraging by juvenile salmon in a restored estuarine wetland." Estuaries 15(2):204.

Shreffler, D.K. and R.M. Thom. 1993. Restoration of urban estuaries: new approaches for site location and design. Prepared for Washington State Department of Natural Resources. Battelle Pacific Northwest Laboratories; 1993107.

Shull S. 2000. Mapping seagrass meadows of Padilla Bay, Washington.

Simenstad C.A. 1983. The ecology of estuarine channels of the Pacific Northwest coast: A community profile. FWS/OBS-83/05. Prepared for U.S. Fish and Wildlife Service, Olympia, Washington. 181 pp.

Simenstad C.A. 2000. Commencement Bay aquatic ecosystem assessment: Ecosystem-scale restoration for juvenile salmon recovery. Prepared for City of Tacoma, Washington State Department of Natural Resources and the U. S. Environmental Protection Agency.

Simenstad C.A and J.R Cordell. 2000. "Ecological assessment criteria for restoring anadromous salmonid habitat in Pacific Northwest estuaries." Ecological Engineering 15:283.

Simenstad C.A, J.R Cordell, R.C Wissmar, K.L Fresh, S.L Schroeder, M Carr, G Sanborn, and M Burg. 1988. Assemblage structure, microhabitat distribution, and food web linkages of epibenthic crustaceans in Padilla Bay National Estuarine Research Reserve, Washington. Padilla Bay National Estuarine Research Reserve Reprint Series No. 9. FRI-UW-8813. Prepared for NOO/OCRM and MEMD by Fisheries Research Institute, University of Washington, Seattle, Washington. 60 pp.

Simenstad C.A, B.S Miller, C.F Nyblade, K Thornburgh, and L.J Bledsoe. 1979. Food web relationships of northern Puget Sound and the Strait of Juan de Fuca. EPA 600/7-79-259. Prepared for Office of Engineering and Technology, Office of Research and Development U. S. Environmental Protection Agency, Washington, D.C.

Simenstad C.A, B.J Nightingale, R.M Thom, and D.K Shreffler. 1999. Impacts of ferry terminals on juvenile salmon migration along Puget Sound shorelines, phase I: Synthesis of state of knowledge. Research Project T9903, Task A2. Prepared for Washington State Transportation Commission, Olympia, Washington.

Simenstad C.A, C.D Tanner, R.M Thom, and L.L Conquest. 1991. Estuarine habitat assessment protocol. U. S. Environmental Protection Agency, Seattle, Washington.

Simenstad, C.A. and R.M. Thom. 1992. Restoring wetland habitats in urbanized Pacific Northwest estuaries. In: Restoring the Nation's Environment. G. Thayer, editor. College Park, Maryland: Maryland Sea Grant, pp. 423-472.

Simenstad C.A and R.M Thom. 1995. "Spartina alterniflora (smooth cordgrass) as an invasive haliphyte in Pacific Northwest estuaries." Hortus Northwest 1995(6):9, 38.

Sizemore B and M Ulrich. 2000. Geoduck atlas: Atlas of major geoduck tracts of Puget Sound. Point Whitney Shellfish Laboratory, Washington Department of Fish and Wildlife, Brinnon, Washington.

Sloan N.A and S.M.C Robinson. 1983. "Winter feeding by asteroids on a subtidal sandbed in British Columbia." Ophelia 22(2):125.

Spence B.C, G.A Lomnicky, R.M Hughes, and R.P Novitzki. 1996. An ecosystem approach to salmonid conservation. TR-4501-96-6057. ManTech (Management Technology) Environmental Research Services Corp., Corvallis, Oregon. On using a 1996 compact spectrographic imager (CASI) dataset. M.S. Thesis. Padilla Bay National Estuarine Reserve.

Stelle, William W. 2011. Endangered Species Act Section 7 Informal Consultation and Magnuson-Stevens Fishery Conservation and Management Act Essential Fish Habitat Consultation for the Proposed Approval of Finfish Rearing Facility Provision Contained in the Sediment Management Standards Rule Promulgated by the Washington State Department of Ecology (HUC 17110019, Puget Sound).

Stout H.A, W.H Gustafson, W.H Lenarz, B.B McCain, D.M VanDoornick, T.L Builder, and R.D Methot. 2001a. Status review of Pacific herring in Puget Sound, Washington. NOAA Technical Memorandum. NMFS-NWFSC-45. National Oceanic and Atmospheric Administration.

Stout H.A, B.B McCain, R.D Vetter, T.L Builder, W.H Lenarz, L.L Johnson, and R.D Methot. 2001b. Status review of copper rockfish (*Sebastes caurinus*), quillback rockfish (*S. maliger*), and brown rockfish (*S. auriculatus*) in Puget Sound, Washington. NOAA Technical Memorandum. NMFW-NWFSC-45.

National Oceanic and Atmospheric Administration.

Swader F.N and L.D Adams. 1994. "Agricultural non-point source contamination: How big is the problem?" National Symposium on Water Quality. Page(s) 1-9, Herndon, Virginia.

Taggart B.E. 1984. Net shore-drift of Kitsap County, Washington. M.S. Thesis. Western Washington University. Bellingham, Washington.

Terich T.A. 1987. Living with the shore of Puget Sound and the Georgia Strait. Duke University Press, Durham, South Carolina.

Thom R.M. 1978. The composition, growth, seasonal periodicity, and habitats of benthic algae on the eastern shore of central Puget Sound, with special reference to sewage pollution. Ph.D Dissertation. College of Fisheries, University of Washington. Seattle, Washington. 237 pp.

Thom R.M. 1981. Primary productivity and organic carbon input to Grays Harbor estuary, Washington. Environmental Resources Section, Seattle District, U.S. Army Corps of Engineers, Seattle, Washington.

Thom R.M. 1984. "Primary production in Grays Harbor estuary, Washington." Bulletin of the Southern California Academy of Science 83:99.

Thom R.M. 1989. Plant standing stock and productivity on tidal flats in Padilla Bay, Washington: A temperate north Pacific estuarine embayment. NOAA Technical Report Series. OCRM/MEMD, FRI-UW-8909. Fisheries Research Institute, University of Washington, School of Fisheries, Seattle, Washington.

Thom, R.M. 1997. System-development matrix for adaptive management of coastal ecosystem restoration projects. Ecological Engineering 15:365-372.

Thom R.M, R.G Albright, C.A Simenstad, J Hampel, J.R Cordell, and K.K Chew. 1984. Renton Sewage Treatment Plant Project: Seahurst Baseline Study. Volume IV, Section 5: Intertidal and shallow subtidal benthic ecology. FRI-UW-8413. Fisheries Research Institute, School of Fisheries, University of Washington, Seattle, Washington.

Thom R.,M, Antrim, L.D, Borde, A.B, W. Gardiner, D, D.K. Shreffler, J.G Norris, S.W Echverria, and T.P. McKenzie. 1998. "Puget Sound's eelgrass meadows: Factors contributing to depth distribution and spatial patchiness." Proceedings of Puget Sound Research 1998. Page(s) 363-370. Puget Sound Water Quality Action Team, Olympia, Washington.

Thom R.M and L Hallum. 1990. Long-term changes in the areal extent of tidal marshes, eelgrass meadows, and kelp forests of Puget Sound. FRI-UW-9008. Fisheries Research Institute, School of Fisheries, U Thom RM, TL Parkwell, DK Niyogi, and DK Shreffler. 1994a. "Effects of graveling on the primary productivity, respiration, and nutrient flux of two estuarine tidal flats." Marine Biology 118:329.

Thom R.M, D.K Shreffler, and K.B Macdonald. 1994b. Shoreline armoring effects on coastal ecology and biological resources in Puget Sound. Coastal Erosion Management Studies, Volume 7. Shorelands and Coastal Zone Management Program, Washington Department of Ecology, Olympia, Washington.

Thom R.M, C.A Simenstad, J.R Cordell, and E.O Salo. 1989. Fish and their epibenthic prey in a marina and adjacent mudflats and eelgrass meadow in a small estuarine bay. FRI-UW-8901. Prepared for Port of Bellingham by Wetland Ecosystem Team, Fisheries Research Institute, University of Washington, Seattle, Washington.

Thom, R.M., and K.F. Wellman. 1997. Planning aquatic ecosystem restoration monitoring programs. Final report to Institute for Water Resources. US Army Corps of Engineers, Alexandria, Virginia, IWR 96-R-23.

Tschaplinski P.J. 1982. "Aspects of the population biology of estuarine-reared and stream-reared juvenile coho salmon in Carnation Creek: A summary of current research." Proceedings of the Carnation Creek Workshop: A ten-year review. Page(s) 289-307.

- U.S. Army Corps of Engineers. 1984. Shore protection manual, Volume 1 and 2. Coastal Engineering Research Center, Waterways Experiment Station, Vicksburg, Mississippi.
- U.S. Army Corps of Engineers. 2000. Biological assessment Wycoff Eagle Harbor Superfund site, Bainbridge Island, Washington. PN 1869. Seattle District, U.S. Army Corps of Engineers, Seattle, Washington.
- U.S. Army Corps of Engineers. 2001a. Coastal Engineering Manual, Part V, Chapter 3. Beach fill design. EC 1110-2-1100.
- U.S. Army Corps of Engineers. 2001b. Wyckoff Eagle Harbor Superfund Site. Available: http://www.wyckoffsuperfund.com
- U.S. Army Corps of Engineers. 2002. Coastal Engineering Manual, Part II, Chapter 3. Estimation of nearshore waves. EC 1110-2-1100.
- U.S. Environmental Protection Agency. 1997. Managing non-point source pollution from agriculture. Available: htp://www.epa.gov.OWOW/NPS/facts/point7.html

U.S. Environmental Protection Agency. 2001. What is non-point source (NPS) pollution, questions and answers. Available: www.epa.gov/owow/nps/qa.html

Warrick R.A, C LeProvost, M.F Meier, J Oerlemans, and P.L Woodworth. 1996. "Changes in sea level." Chapter 7 In: Climate change 1995: The science of climate change: Contributions of Working Group I to the second assessment report of the Intergovernmental Panel on Climate Change, Houghton J.T, M Fihlo, BA Callander, N Harris, A Kattenberg, and K Maskell eds., Cambridge University Press, New, York.

Washington State Department of Ecology. 1979a. Coastal Zone Atlas of Washington, Volume 10 - Kitsap County. Publication No. 77-21-7. Olympia, Washington . University of Washington, Seattle, Washington.

Washington State Department of Ecology. 1979b. Coastal Zone Atlas of Washington, Volume 6 - King County. WSDOE No. DOE-77216. Olympia, Washington.

Washington State Department of Ecology. 1980. Washington Coastal Zone Atlas.

Washington State Department of Ecology (WDOE). 2000. Washington State Department of Ecology oblique aerial photos: CD-ROM. Available at: www.ecy.wa.gov/programs/sea/sma/atlas_home.html

Washington State Department of Ecology. 2002a. Puget Sound shorelines: Species - geoduck. Available: http://www.ecy.wa.gov/programs/sea/pugetsound/species/geoduck.html

Washington State Department of Ecology. 2002b. Puget Sound shorelines: Species - sand lance. Available: http://www.ecy.wa.gov/programs/sea/pugetsound/species/sandlance.html

Washington State Department of Ecology. 2002c. Puget Sound shorelines: Species - surf smelt. Available: http://www.ecy.wa.gov/programs/sea/pugetsound/species/smelt.html

Washington State Department of Ecology. 2012. Shoreline Master Programs Handbook. Publication Number 11-06-010. Available online at the Ecology website at http://www.ecy.wa.gov/programs/sea/shorelines/smp/Handbook/index.html

Washington State Department of Fish and Wildlife. 2002a. Washington State forage fish: Pacific herring. Available: http://www.wa.gov/wdfw/fish/forage/herring.htm#hbiology

Washington State Department of Fish and Wildlife. 2002b. Washington State forage fish: Sand lance. Available: http://www.wa.gov/wdfw/fish/forage/lance.htm#lbiology

Washington State Department of Fish and Wildlife. 2002c. Washington State forage fish: Surf smelt. Available: http://www.wa.gov/wdfw/fish/forage/smelt.htm#sbiology

Washington State Department of Natural Resources. 2001. Washington State ShoreZone Inventory. Nearshore Habitat Program, Washington Department of Natural Resources, Olympia, Washington.

Weins, J.A. 1985. Vertebrate responses to environmental patchiness in arid and semiarid ecosystems In: the Ecology of Natural disturbances and Patch Dynamics, S.T. Pickett and P.S. White, editors. Academic Press, Inc.

Weisberg, S.B., J.A. Ranasinghe, D.M. Dauer, L.C. Schafner, R.J. Diaz, and J.B. Frithsen. 1997. An estuarine benthic index of biotic integrity (B-IBI) for Chesapeake Bay. Estuaries 20:149-158.

Weitkamp L.A, T.C Wainwright, G.J Bryant, G.B Milner, D.J Teel, R.G Kope, and R.S Waples. 1995. Status review of coho salmon from Washington, Oregon, and California. NOAA Technical Memorandum. NMFS-NWFSC-24. National Oceanic and Atmospheric Administration. Wentworth C.K. 1922. "A scale of grade and class terms for clastic sediments." Journal of Geology 33:377.

West J.E. 1997. Protection and restoration of marine life in the inland waters of Washington State. Puget Sound/Georgia Basin Environmental Report Series. Number 6. Washington Work Group on Protecting Marine Life, Puget Sound/Georgia Basin International Task Force.

Williams G.D. 1994. Effects of habitat modification on distribution and diets of intertidal fishes in Grays Harbor estuary, Washington . M.S. Thesis. School of Fisheries, University of Washington. Seattle, Washington. 53 pp.

Williams G.D and R.M Thom. 2001. Marine and estuarine shoreline modification issues. PNWD-3087. Prepared for Washington Department of Fish and Wildlife, Washington Department of Ecology and Washington Department of Transportation by Battelle Marine Sciences Laboratory, Sequim, Washington.

Williams G.D, R.M Thom, J.E Starkes, J.S Brennan, J.P Houghton, D Woodruff, P.L Striplin, M Miller, M Pedersen, A Skillman, R Kropp, A Borde, C Freeland, K McArthur, V Fagerness, S Blanton, and L Blackmore. 2001. Reconniassance assessment of the State of the Nearshore Ecosystem: Eastern shore of central Puget Sound, including Vashion and Maury Islands (WRIAs 8 and 9). Prepared for King County Department of Natural Resources by Battelle Marine Sciences Laboratory, Pentec Environmental, Striplin Environmental Associates, Shapiro Associates, and King County Department of Natural Resources, Seattle, Washington. 353 pp.

William G.D., R.M. Thom, M.C. Miller, D.L. Woodruff, N.R. Evans, P.N. Best. 2003 Bainbridge Island Nearshore Assessment: Summary of Best Available Science. PNWD-3233. Prepared for the City of Bainbridge Island, Bainbridge Island, WA by Battelle Marine Sciences Laboratory, Sequim, WA. Available at: www.ci.bainbridge-isl.wa.us/nearshore-BAS.asp

Wipfli, M.S., J.P. Hudson, J.P. Caouette, and D.T. Chaloner. 2003. Marine subsidies in freshwater ecosystems: salmon carcasses increase the growth rates of stream-resident salmonids. *Transactions of the American Fisheries Society* 132:371-381.

Wissmar R.C and C.A Simenstad. 1998. "Variability of riverine and estuarine ecosystem productivity for supporting Pacific salmon." Chapter 6 In: Change in Pacific Northwest coastal ecosystems: A NOAA decision analysis series report.

Wolotira Jr. R.J, M.J Allen, T.M Sample, C.R Iten, S.F Noel, and R.L Henry. 1989. Life history and harvest summaries for selected invertebrate species occurring off the west coast of North America. Volume 1: Shelled molluscs. NOAA Technical Memorandum. NMFS F/NWC-160. 177 pp.

Woodruff D.L, P Farley, A Borde, J Southard, and R Thom. 2000. King County nearshore habitat mapping data report: Picnic Point to Shilshole Bay Marina. Prepared for King County Department of Natural Resources by Battelle Marine Sciences Laboratory, Seattle, Washington.

Word J.Q. 1990. The infaunal trophic index, a functional approach to benthic community analyses. Ph.D Dissertation. University of Washington. Seattle, Washington. 237 pp.

Word J.Q, P.L Striplin, and K.K Chew. 1981. Richmond Beach Sewage Outfall Survey: A survey of benthic subtidal communities. Prepared for Municipality of Metropolitan Seattle, Seattle, Washington.

Zhang, X, X. Liu, M. Zhang, R. Dahlgren, and M. Eitzel. 2010. A Review of Vegetated Buffers and a Meta-analysis of their Mitigation Efficacy in Reducing Nonpoint Source Pollution. *J. Environ Qual.* 39:76-84.

Zelo I.H and H. Shipman. 2000. Alternative bank protection methods for Puget Sound shorelines. Shorelands and Environmental Assistance Program, Washington Department of Ecology, Olympia, Washington.